



UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office  
ASSISTANT SECRETARY OF COMMERCE AND  
COMMISSIONER OF PATENTS AND TRADEMARKS  
P.O. Box 1450  
Alexandria, VA 22313-1450

July 21, 2008

**CYMER INC**  
**LEGAL DEPARTMENT**  
**17075 Thornmint Court**  
**SAN DIEGO CA 92127-2413**

Patent No. : 6,894,785 B2  
Inventor(s) : Rajasekhar M. Rao, et al.  
Issued : May 17, 2005  
For **GAS DISCHARGE MOPA LASER**  
**SPECTRAL ANALYSIS MODULE**  
Doc. No. **2002-0092-01**

To Whom It May Concern:

The Certificate of Correction issued on July 22, 2008, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

Applicant submitted corrections on 1050 in claim and line number format. The cofc was issued in that format. The applicant notated that the error is in Column 24, Claim 36, line 1, but the correction should be properly labeled under --Column 24, Claim 36, line 50--. The applicant notated that the error is in Column 24, Claim 37, line 1, but the correction should be properly labeled under --Column 24, Claim 37, line 55--. The applicant notated that the error is in Column 24, Claim 38, line 1, but the correction should be properly labeled under --Column 24, Claim 38, line 62--. The applicant notated that the error is in Column 25, Claim 40, line 1, but the correction should be properly labeled under --Column 25, Claim 40, line 7--. The applicant notated that the error is in Column 25, Claim 41, line 1, but the correction should be properly labeled under --Column 25, Claim 41, line 13--. The applicant notated that the error is in Column 25, Claim 42, line 1, but the correction should be properly labeled under --Column 25, Claim 42, line 20--. The applicant notated that the error is in Column 25, Claim 43, line 1, but the correction should be properly labeled under --Column 25, Claim 43, line 25--. The applicant notated that the error is in Column 25, Claim 44, line 2, but the correction should be properly labeled under --Column 25, Claim 44, line 33--. The applicant notated that the error is in Column 25, Claim 45, line 2, but the correction should be properly labeled under --Column 25, Claim 45, line 37--. The applicant notated that the error is in Column 25, Claim 46, line 2, but the correction should be properly labeled under --Column 25, Claim 46, line 41--. The applicant notated that the error is in Column 25, Claim 47, line 2, but the correction should be properly labeled under --Column 25, Claim 47, line 46--. The applicant notated that the error is in Column 25, Claim 48, line 2, but the correction should be properly labeled under --Column 25, Claim 48, line 50--. The applicant notated that the error is in Column 25, Claim 49, line 2, but the correction should be properly labeled under --Column 25, Claim 49, line 54--. The applicant notated that the error is in Column 25, Claim 50, line 2, but the correction should be properly labeled under --Column 25, Claim 50, line 58--. The applicant notated that the error is in Column 25, Claim 51, line 2, but the correction should be properly labeled under --Column 25, Claim 51, line 62--. Attorney submitted the 1050 form in improper format. A new certificate of correction will be issued listing the proper format Column and line number.

---

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on *a copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson  
(703) 308-9390 ext. 111  
For Mary F. Diggs, Supervisor  
Decisions & Certificates of Correction Branch  
(703) 305-8309 / 703-308-9390 ext. 125  
cbn